


5 YR INV		SLD REV		BMP	EMP	INV		SLD REV		FLORIDA DEPARTMENT OF TRANSPORTATION STRAIGHT LINE DIAGRAM OF ROAD INVENTORY	SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:
DATE	10/24/2012	11/06/2012		2.576	22.571	06/20/2018	PECS	08/01/2018	METRIC		12		CR 228/SR 228/CR 15	DUVAL	02	72120000	1 OF 5
BY	Metric Engineering, Inc.	HSA Consulting, Inc.		1.906	18.505	07/05/2016	FDOT - CO	08/09/2016	METRIC								
						12/02/2015	Metric Engineering, Inc.	12/02/2015	Metric Engineering, Inc.								



5 YR INV		SLD REV		BMP	EMP	INV		SLD REV		SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.
DATE	10/24/2012	11/06/2012		2.576	22.571	06/20/2018	PECS	08/01/2018	METRIC	12		CR 228/SR 228/CR 15	DUVAL	02	72120000	2 OF 5
BY	Metric Engineering, Inc.	HSA Consulting, Inc.		1.906	18.505	07/05/2016	FDOT - CO	08/09/2016	METRIC							

6.0		7.0		8.0		9.0	
ROADWAY FEATURES	INSIDE CITY, AND URBAN JACKSONVILLE JACKSONVILLE NORMANDY BLVD SR 228 MOORE BRANCH NORMANDY ACRES DR 6.457 KILCREASE RD 6.708 YELLOWWATER RD 6.911	SOLOMON RD 7.043 7.893 MANNING CEMETERY RD		YELLOWWATER CREEK	BICENTENIAL DR 8.599 NATHAN HALE RD 8.542		
LANE WIDTHS ARE AVERAGED	54.0' - 24.0' 2 - 12.0' RDWY 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2	67.0' - 24.0' 2 - 12.0' RDWY 13.0' PVD MED 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2	7.060 54.0' - 24.0' 2 - 12.0' RDWY 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2		67.0' - 24.0' 2 - 12.0' RDWY 13.0' PVD MED 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2	54.0' - 24.0' 2 - 12.0' RDWY 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2	
ROADWAY COMPOSITION	08/FC-0	08/FC-0	08/FC-0		08/FC-0	08/FC-0	
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED						
STRUCTURE DESCRIPTION	#0142 21' CB	6.622 1-2' X 2' X 80' CBC	7.078 1-2' X 2' X 80' CBC	7.594 1-8' X 2' X 80' CBC	8.315 #0046 43' CB	8.324	
DISTRICT USE	SIS						
FUN CLASS	URBAN PRIN ART OTHER						
SPEED LIMIT	50MPH						55MPH
AC MAN CLS	ACCESS CLASS04						

9.0		10.0		11.0		12.0	
ROADWAY FEATURES	INSIDE CITY, AND URBAN JACKSONVILLE JACKSONVILLE NORMANDY BLVD SR 228 JAX EQUESTRIAN CENTR 9.618 YELLOWWATER CREEK 10.762 RAMP TO POW-MA PKWY 10.787 MEMORIAL PKY 10.787 POW-MA 10.787 RAMP TO POW-MA PKWY 10.824 0004 ALCOY RD 11.658 SCHMITT CT WEST 11.731 SCHMITT CT EAST 11.817						
LANE WIDTHS ARE AVERAGED	54.0' - 24.0' 2 - 12.0' RDWY 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2	67.0' - 24.0' 2 - 12.0' RDWY 13.0' PVD MED 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2	130.0' - 12.0'L+24.0'R 1 - 12.0'L + 2 - 12.0'R RDWY 64.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2	142.0' - 48.0' 4 - 12.0' RDWY 64.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2			
ROADWAY COMPOSITION	08/FC-0	28/FC-5	28/FC-5				
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED						
STRUCTURE DESCRIPTION	9.470 1-10' X 2' X 68' CBC	10.025 1-18' X 84' CC	10.133 #0415 21' CB	10.348 1-18' X 92' CC	10.698 1-18' X 92' CC	10.681 1-18' X 92' CC	10.075 1-8' X 2' X 90' CBC - LT 1-8' X 2' X 90' CBC - RT 11.050 1-18' X 82' CC
DISTRICT USE	SIS						
FUN CLASS	URBAN PRIN ART OTHER						
SPEED LIMIT	55MPH						50MPH
AC MAN CLS	ACCESS CLASS04		ACCESS CLASS04		ACCESS CLASS03		

5 YR INV		SLD REV		BMP		EMP		INV		SLD REV		SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.	
DATE	10/24/2012	11/06/2012		2576	22571	06/20/2018	PECS	08/01/2018	METRIC	08/09/2016 METRIC		12		CR 228/SR 228/CR 15	DUVAL	02	72120000	3 OF 5	
BY	Metric Engineering, Inc.		HSA Consulting, Inc.		1,906	18,505	08/02/2015 Metric Engineering, Inc.		10/02/2015 Metric Engineering, Inc.										

12.0		13.0		14.0		15.0														
INSIDE CITY AND URBAN																				
* JACKSONVILLE																				
* JACKSONVILLE																				
* NORMANDY BLVD																				
* SR 228																				
ROADWAY FEATURES	SARROCCA LN 12.252	RAMP FROM SR-23 12.444	CECIL COMMERCE 12.467	ADAMS LAKE BLVD 13.031	CHAFFEE RD 13.378	CR-113C/ CHAFFEE RD 13.378	RAMP TO CHAFFEE RD 13.473	3554 13.471	STRATTON RD 13.946	FOY CREEK DR 14.060	NORTON RD 14.157	COLD CREEK BLVD 14.259	ORTEGA RIVER	BLAIR RD 14.518	MAPLE GROVER RD 14.658	PARRISH CEMETERY RD 14.791	RAMP TO PARRISH CEM 14.788			
LANE WIDTHS ARE AVERAGED	142.0' - 48.0' 4 - 12.0' RDWY 64.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2		12.667 3555		13.169 1-30' X 90' CC - LT 1-30' X 92' CC - RT		13.438 1-15' X 74' CC 13.503 1-15' X 74' CC		13.936 1-36' X 92' CC - LT 1-36' X 90' CC - RT		14.160 1-15' X 88' CC 14.305 1-15' X 88' CC		#0047 66' CB		14.571 1-15' X 78' CC		14.772 1-15' X 82' CC		14.932 1-15' X 82' CC	
ROADWAY COMPOSITION	28/FC-5		28/FC-5		28/FC-5		28/FC-5		28/FC-5		28/FC-5		28/FC-5		28/FC-5		28/FC-5			
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED		PC=12.193 PI=12.304 PT=12.415 Δ=2°55'45.00" D=1°00'		B=N67°15'25"E		B=N67°18'15"E		B=N67°18'15"E		PC=14.603 PI=14.738 PT=14.873 Δ=4°44'30.00" D=0°20'		B=N72°02'45"E							
STRUCTURE DESCRIPTION	12.015 1-18' X 82' CC	12.186 1-18' X 82' CC	12.449 1-18' X 82' CC	12.483 1-6' X 4' X 186' CBC	12.489 1-24' X 94' CC - LT 1-24' X 94' CC - RT	12.494 2-24' X 186' CC	12.498 3-24' X 186' CC	12.697 1-18' X 82' CC	12.990 1-18' X 82' CC	13.169 1-30' X 90' CC - LT 1-30' X 92' CC - RT	13.438 1-15' X 74' CC	13.503 1-15' X 74' CC	13.760 1-15' X 88' CC	13.936 1-36' X 92' CC - LT 1-36' X 90' CC - RT	14.160 1-15' X 88' CC	14.305 1-15' X 88' CC	#0047 66' CB	14.571 1-15' X 78' CC	14.772 1-15' X 82' CC	14.932 1-15' X 82' CC
DISTRICT USE																				
SIS																				
FUN CLASS	URBAN PRIN ART OTHER																			
SPEED LIMIT	50MPH													45MPH		55MPH				
AC MAN CLS	ACCESS CLASS03																			

15.0		16.0		17.0		18.0							
INSIDE CITY AND URBAN													
* JACKSONVILLE													
* JACKSONVILLE													
* NORMANDY BLVD													
* SR 228													
ROADWAY FEATURES	UNDESIGNED 15.246	GUARDIAN DR 16.058	ENT AIRPORT 16.058	HERLONG RD 16.107	LAMPLIGHTER LN 16.376	NORMANDY ESTATES DR 16.465	HAMMOND BLVD 16.726	DYER DR 16.886	COUNTRY CREEK BLVD 17.416	LINDSEY RD 17.502	CHATEAU DR 17.600	FOURMEER RD 17.774	SHOPPING ENT 17.948
LANE WIDTHS ARE AVERAGED	142.0' - 48.0' 4 - 12.0' RDWY 64.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2		16.256 36.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 5.0' PVD SHLD1 2 - 10.0' LWN SHLD2		16.420 88.0' - 48.0' 4 - 12.0' RDWY 20.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 8.0' PVD SHLD1 2 - 2.0' C&G SHLD2								17.701 88.0' - 48.0' 4 - 12.0' RDWY 20.0 TFSP MED 2 - 8.0' PVD SHLD1 2 - 2.0' C&G SHLD2
ROADWAY COMPOSITION	28/FC-5		28/FC-5		28/FC-5		28/FC-5		28/FC-5		28/FC-5		28/FC-5
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED		PC=16.792 PI=16.943 PT=17.094 Δ=7°59'20.00" D=0°30'		B=N80°02'05"E								Δ=14°17'30.00" D=0°30' PC=17.517 PI=17.789 PT=18.058
STRUCTURE DESCRIPTION	15.044 1-36' X 88' CC - LT 1-36' X 88' CC - RT	15.354 1-15' X 84' CC	15.481 1-24' X 96' CC - LT 1-24' X 90' CC - RT	15.682 1-15' X 84' CC	16.166 1-12' X 90' CC	16.241 1-12' X 78' CC	16.296 1-36' X 140' CC	16.347 1-15' X 58' CC	16.384 1-15' X 64' CC	16.430 1-15' X 60' CC	16.653 1-8' X 6' X 118' CBC		
DISTRICT USE													
SIS													
FUN CLASS	URBAN PRIN ART OTHER												
SPEED LIMIT	55MPH												
AC MAN CLS	ACCESS CLASS03												

FLORIDA DEPARTMENT OF TRANSPORTATION
STRAIGHT LINE DIAGRAM OF ROAD INVENTORY



	18.0		19.0		20.0		21.0
ROADWAY							
FEATURES	<p>Normaland Village Pkwy: 72.0' - 48.0' RDWY, 4 - 12.0' RDWY, 20.0 CB&VEG MED, 2 - 2.0' C&G INSHLD1, 2 - 2.0' C&G SHLD1</p> <p>Shopping Ent: 90.0' - 48.0' RDWY, 4 - 12.0' RDWY, 20.0 CB&VEG MED, 2 - 2.0' C&G INSHLD1, 2 - 9.0' PVD SHLD1, 2 - 2.0' C&G SHLD2</p> <p>Shopping Ent: 65.0' - 48.0' RDWY, 4 - 12.0' RDWY, 13.0 PVD MED, 2 - 2.0' C&G SHLD1</p>						
LANE WIDTHS ARE AVERAGED	<p>88.0' - 48.0' RDWY, 4 - 12.0' RDWY, 20.0 TFSM MED, 2 - 8.0' PVD SHLD1, 2 - 2.0' C&G SHLD2</p>						
ROADWAY COMPOSITION	28/FC-5						
HORIZONTAL ALIGNMENT	<p>CURVE DATA NOT FIELD VERIFIED</p> <p>B=N65°44'35"E</p> <p style="text-align: right;">PC=19.918, PI=20.416, PT=20.898, Δ=24°09'11.00", D=0°28', B=N89°53'46"E</p>						
STRUCTURE DESCRIPTION	<p>#0048 59' CB, #0259 67' UP, #0348 59' UP, #0049 46' CB</p>						
DISTRICT USE	SIS						
FUN CLASS	URBAN PRIN ART OTHER						
SPEED LIMIT	45MPH						
AC MAN CLS	ACCESS CLASS05						

	21.0		22.0		23.0		24.0
ROADWAY							
FEATURES	<p>SR-111: 41.0' - 24.0' RDWY, 2 - 12.0' RDWY, 13.0 PVD MED, 2 - 2.0' CRG SHLD1</p> <p>SR-128/129: 59.0' - 12.0'L+24.0'R, 1 - 12.0'L + 2 - 12.0'R RDWY, 13.0 PVD MED, 2 - 5.0' LWN SHLD1</p>						
LANE WIDTHS ARE AVERAGED	<p>65.0' - 48.0' RDWY, 4 - 12.0' RDWY, 13.0 PVD MED, 2 - 2.0' C&G SHLD1</p> <p>38.0' - 24.0' RDWY, 2 - 5.0' PVD SHLD1, 2 - 2.0' C&G SHLD2</p> <p>41.0' - 24.0' RDWY, 2 - 12.0' RDWY, 13.0 PVD MED, 2 - 2.0' C&G SHLD1</p> <p>40.0' - 24.0' RDWY, 2 - 12.0' RDWY, 2 - 6.0' PVD SHLD1, 2 - 2.0' CRG SHLD2</p> <p>46.0' - 24.0' RDWY, 2 - 12.0' RDWY, 2 - 6.0' PVD SHLD1, 2 - 5.0' LWN SHLD2</p>						
ROADWAY COMPOSITION	28/FC-5						
HORIZONTAL ALIGNMENT	<p>CURVE DATA NOT FIELD VERIFIED</p> <p>PI=21.241, Δ=2°45'00.00", B=S87°21'14"E</p> <p>Δ=46°24'30.00", PI=21.748, B=N46°14'16"E</p> <p>PI=22.150, Δ=47°24'43.00", B=S86°21'01"E</p>						
STRUCTURE DESCRIPTION	<p>22.106 2 - 30' X 18' X 76 CC</p>						
DISTRICT USE	SIS						
FUN CLASS	URBAN MINOR ART						
SPEED LIMIT	35MPH						
AC MAN CLS	ACCESS CLASS06						

5 YR INV		SLD REV		BMP	EMP	INV		SLD REV	
DATE	10/24/2012	11/06/2012		2.576	22.571	06/20/2018	PECS	08/01/2018	METRIC
BY	Metric Engineering, Inc.	HSA Consulting, Inc.		12.667	12.667	07/05/2016	FDOT - CO	08/09/2016	METRIC
				1.906	18.505	08/02/2015	Metric Engineering, Inc.	10/02/2015	Metric Engineering, Inc.

SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:
12		CR 228/SR 228/CR 15	DUVAL	02	72120000	5 OF 5

24.0	
ROADWAY FEATURES	ACTIVE OFF THE SHS (MP 22.742 TO MP 24.378)
LANE WIDTHS ARE AVERAGED	
	END MP: 24.378 NET ROADWAY ID LENGTH: 20.166
ROADWAY COMPOSITION	
HORIZONTAL ALIGNMENT	
STRUCTURE DESCRIPTION	
DISTRICT USE	
SIS	
FUN CLASS	
SPEED LIMIT	
AC MAN CLS	