

| 5 YR INV | | SLD REV | | BMP | | EMP | | INV | | SLD REV | | SECTION STATUS | INT. or US ROUTE NO. | STATE ROAD NO. | COUNTY | DISTRICT | ROADWAY ID | SHEET NO. |
|----------|------------|---------|------------|-----|--|-----|--|-----|--|---------|--|----------------|----------------------|----------------|--------|----------|------------|-----------|
| DATE | 03/07/2018 | | 05/01/2018 | | | | | | | | | 02 | US 90 | SR 212 | DUVAL | 02 | 72190000 | 1 OF 3 |
| BY | METRIC | | METRIC | | | | | | | | | | | | | | | |

| SECTION BEGINS: | 0.0 | 1.0 | 2.0 | 3.0 |
|--------------------------|---|---|---|--|
| SR-10/ATLANTIC BLVD | 0.000 | 0.085 | 0.213 | 0.285 |
| ROADWAY FEATURES | ONE WAY (0.000 TO 0.085) | | | |
| LANE WIDTHS ARE AVERAGED | 79.0' - 48.0' 4 - 12.0' RDWY 11.0 PVD MED 2 - 8.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 28.0' - 24.0' 2 - 12.0' RDWY 2 - 2.0' C&G SHLD1 | 63.0' - 48.0' 4 - 12.0' RDWY 11.0 PVD MED 2 - 2.0' C&G SHLD1 | 80.0' - 48.0' 4 - 12.0' RDWY 28.0 TFSP MED 2 - 1.0' PVD INSHLD1 2 - 2.0' C&G SHLD1 |
| ROADWAY COMPOSITION | 28/FC-6 | 28/FC-5 | 28/FC-5 | |
| HORIZONTAL ALIGNMENT | CURVE DATA NOT FIELD VERIFIED | | PC=0.286 PI=0.317 PT=0.347 Δ=8°06'30.00" D=2°31' | PI=0.505 Δ=0°35'00.00" PI=0.562 |
| STRUCTURE DESCRIPTION | | 0.908 2-42' X 134' CC | #0064 76' BR | #0115 47' UP #0284 47' UP |
| DISTRICT USE | SIS | | | |
| FUN CLASS | URBAN PRIN ART OTHER | | | |
| SPEED LIMIT | 40MPH | | | |
| AC MAN CLS | ACCESS CLASS06 | | | |

| SECTION BEGINS: | 3.0 | 4.0 | 5.0 | 6.0 |
|--------------------------|---|---|---|---|
| INSIDE CITY, AND URBAN | 3.000 | 3.521 | 4.101 | 4.678 |
| ROADWAY FEATURES | WEST RD | SHIPPING ENT | BIG POTTSBURG CREEK | SHIPPING ENT |
| LANE WIDTHS ARE AVERAGED | 63.0' - 48.0' 4 - 12.0' RDWY 11.0 PVD MED 2 - 2.0' C&G SHLD1 | 129.0' - 48.0' 4 - 12.0' RDWY 70.0 CB&VEG W/ GRD MED 2 - 2.0' C&G INSHLD1 2.0' C&G SHLD1 - LT 5.0' PVD SHLD1 - RT 4.0' LWN SHLD2 - RT | 114.0' - 72.0' 6 - 12.0' RDWY 26.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 4.0' LWN SHLD2 | 110.0' - 72.0' 6 - 12.0' RDWY 26.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 |
| ROADWAY COMPOSITION | 28/FC-5 | 28/FC-5 | | |
| HORIZONTAL ALIGNMENT | CURVE DATA NOT FIELD VERIFIED | | Δ=1°43'30.00" PI=4.062 B=583°25'17"E | Δ=7°02'00.00" D=0°30" PC=4.676 PI=4.809 PT=4.942 B=N89°32'43"E |
| STRUCTURE DESCRIPTION | 3.215 1-36' X 276' CC 3.312 1-16' X 94' CC 3.316 69' UP 3.329 3.336 1-24' X 118' CC | 4.007 1-36' X 184' CC 4.101 #0066 210' BR 4.141 | 4.366 1-36' X 230' CC | 4.773 #0519 43' UP 4.782 #0520 43' UP 4.788 4.797 |
| DISTRICT USE | SIS | | | |
| FUN CLASS | URBAN PRIN ART OTHER | | | |
| SPEED LIMIT | 40MPH | | | |
| AC MAN CLS | ACCESS CLASS06 | | | |

| 5 YR INV | | SLD REV | | BMP | EMP | INV | SLD REV | SECTION STATUS | | INT. OF US ROUTE NO. | STATE ROAD NO. | COUNTY | DISTRICT | ROADWAY ID | SHEET NO. |
|----------|------------|------------|--|-----|-----|-----|---------|----------------|--|----------------------|----------------|--------|----------|------------|-----------|
| DATE | 03/07/2018 | 05/01/2018 | | | | | | 02 | | US 90 | SR 212 | DUVAL | 02 | 72190000 | 2 OF 3 |
| BY | METRIC | METRIC | | | | | | | | | | | | | |

| 6.0 | | 7.0 | | 8.0 | | 9.0 | |
|--------------------------|---|---|---|---|---|---|---|
| ROADWAY | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 |
| ROADWAY FEATURES | SHOPPING ENT 6.141 LEON DR 6.188 | SHOPPING ENT 6.141 LEON DR 6.188 | SHOPPING ENT 6.141 LEON DR 6.188 | SHOPPING ENT 6.141 LEON DR 6.188 | SHOPPING ENT 6.141 LEON DR 6.188 | SHOPPING ENT 6.141 LEON DR 6.188 | SHOPPING ENT 6.141 LEON DR 6.188 |
| LANE WIDTHS ARE AVERAGED | 116.0' - 72.0' 6 - 12.0' RDWY 26.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 5.0' PVD SHLD1 2 - 4.0' LWN SHLD2 | 116.0' - 72.0' 6 - 12.0' RDWY 26.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 5.0' PVD SHLD1 2 - 4.0' LWN SHLD2 | 116.0' - 72.0' 6 - 12.0' RDWY 26.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 110.0' - 72.0' 6 - 12.0' RDWY 26.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 110.0' - 72.0' 6 - 12.0' RDWY 26.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 110.0' - 72.0' 6 - 12.0' RDWY 26.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 114.0' - 72.0' 6 - 12.0' RDWY 30.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 |
| ROADWAY COMPOSITION | 28/FC-5 | 28/FC-5 | 28/FC-5 | 28/FC-5 | 28/FC-5 | 28/FC-5 | 28/FC-5 |
| HORIZONTAL ALIGNMENT | | | | | | | |
| STRUCTURE DESCRIPTION | 6.135 2 - 8' X 4' X 160' CBC | 6.439 2 - 8' X 4' X 160' CBC | 7.011 #0557 44' UP 7.020 7.029 7.037 #0556 44' UP | 8.000 3 - 42' X 186' CC | 8.523 2 - 30' X 186' CMP | 8.754 #0067 31' CB 8.760 | 8.967 #0771 116' UP 8.989 |
| DISTRICT USE | | | | | | | |
| SIS | | | | | | | |
| FUN CLASS | URBAN PRIN ART OTHER | | | | | | |
| SPEED LIMIT | 45MPH | | | | 45MPH | | 55MPH |
| AC MAN CLS | ACCESS CLASS03 | | | | | | |

| 9.0 | | 10.0 | | 11.0 | | 12.0 | |
|--------------------------|---|---|---|---|---|---|---|
| ROADWAY | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 | INSIDE CITY, AND URBAN * JACKSONVILLE * JACKSONVILLE * BEACH BLVD * SR 212 * US 90 |
| ROADWAY FEATURES | SHOPPING ENT 9.053 | TAMAYA 9.274 | HIGHLAND GLEN WAY 9.886 | TERRA COSTA 10.173 | BROUGHAM AVE 10.461 | GERONA DR W 10.608 | BLVD 10.778 |
| LANE WIDTHS ARE AVERAGED | 114.0' - 72.0' 6 - 12.0' RDWY 30.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 114.0' - 72.0' 6 - 12.0' RDWY 30.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 114.0' - 72.0' 6 - 12.0' RDWY 30.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 114.0' - 72.0' 6 - 12.0' RDWY 30.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 114.0' - 72.0' 6 - 12.0' RDWY 30.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 114.0' - 72.0' 6 - 12.0' RDWY 30.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | 114.0' - 72.0' 6 - 12.0' RDWY 30.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 |
| ROADWAY COMPOSITION | 28/FC-5 | 28/FC-5 | 28/FC-5 | 28/FC-5 | 28/FC-5 | 28/FC-5 | 28/FC-5 |
| HORIZONTAL ALIGNMENT | | | | | | | |
| STRUCTURE DESCRIPTION | 9.407 2 - 36' X 184' CMP | 9.825 2 - 36' X 186' CMP | 10.075 2 - 36' X 186' CMP | 10.314 2 - 42' X 186' CMP | 10.605 2 - 36' X 186' CMP | 11.665 1 - 36' X 176' CC | |
| DISTRICT USE | | | | | | | |
| SIS | | | | | | | |
| FUN CLASS | URBAN PRIN ART OTHER | | | | | | |
| SPEED LIMIT | 55MPH | | | | 45MPH | | 45MPH |
| AC MAN CLS | ACCESS CLASS03 | | | | | | |

| 5 YR INV | | SLD REV | | BMP | EMP | INV | SLD REV | FLORIDA DEPARTMENT OF TRANSPORTATION FDOT | | SECTION STATUS | INT. or US ROUTE NO. | STATE ROAD NO. | COUNTY | DISTRICT | ROADWAY ID | SHEET NO: |
|--------------------------|---|------------|--|-----|-----|-----|---------|--|--|----------------|----------------------|----------------|--------|----------|------------|-----------|
| DATE | 03/07/2018 | 05/01/2018 | | | | | | STRAIGHT LINE DIAGRAM OF ROAD INVENTORY | | 02 | US 90 | SR 212 | DUVAL | 02 | 72190000 | 3 OF 3 |
| BY | METRIC | METRIC | | | | | | | | | | | | | | |
| ROADWAY | 12.0 12.000 12.047 12.150 12.266 12.346 12.433 12.513 12.607 12.830 13.0 13.000 13.328 13.477 13.523 13.618 13.824 13.879 13.967 14.0 14.000 14.022 14.116 14.215 14.313 14.385 14.451 14.518 14.586 14.654 14.721 14.826 14.826 | | | | | | | | | | | | | | | |
| ROADWAY FEATURES | INSIDE CITY AND URBAN * JACKSONVILLE * JACKSONVILLE * <= BEACH BLVD * <= SR 212 * <= US 90 SAN PABLO RD 12.047 SHOPPING ENT 12.150 EUNICE RD 12.266 PALM ISLAND RD 12.346 ROYAL PALM DR 12.433 QUEEN PALM DR 12.513 SILVER PALM DR 12.607 INTRACOASTAL WATERWAY 72190301 SERVICE RD 13.328 0062 ADVENTURE LANDING ENT 13.523 N 20TH ST 13.523 N 19TH ST 13.618 SHOPPING ENT 13.824 S 15TH ST 13.879 PENMAN RD 13.967 SHOPPING ENT 14.022 SHOPPING ENT 14.116 12TH ST S 14.215 10TH ST S 14.313 9TH ST S 14.385 8TH ST S 14.451 7TH ST S 14.518 6TH ST S 14.586 5TH ST S 14.654 4TH ST S 14.721 SR-A1A/3RD ST 14.826 | | | | | | | | | | | | | | | |
| LANE WIDTHS ARE AVERAGED | 114.0' - 72.0' 6 - 12.0' RDWY 30.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 114.0' - 72.0' 6 - 12.0' RDWY 30.0 TFSP MED 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 65.0' - 48.0' 4 - 12.0' RDWY 13.0 PVD MED 2 - 2.0' C&G SHLD1 102.0' - 36.0'L+24.0'R 3 - 12.0'L + 2 - 12.0'R RDWY 30.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 4.0' PVD SHLD1 2 - 2.0' C&G SHLD2 | | | | | | | | | | | | | | | |
| ROADWAY COMPOSITION | 28/FC-5 28/FC-5 | | | | | | | | | | | | | | | |
| HORIZONTAL ALIGNMENT | CURVE DATA NOT FIELD VERIFIED PI=12.835 Δ=0°09'00.00" B=N89°41'43"E | | | | | | | | | | | | | | | |
| STRUCTURE DESCRIPTION | #0729 2298' BR #0730 2100' BR | | | | | | | | | | | | | | | |
| DISTRICT USE | | | | | | | | | | | | | | | | |
| SIS | | | | | | | | | | | | | | | | |
| FUN CLASS | URBAN PRIN ART OTHER | | | | | | | | | | | | | | | |
| SPEED LIMIT | 45MPH 35MPH 30MPH | | | | | | | | | | | | | | | |
| AC MAN CLS | ACCESS CLASS03 ACCESS CLASS05 ACCESS CLASS06 ACCESS CLASS06 | | | | | | | | | | | | | | | |

SECTION ENDS:
SR-A1A
END MP: 14.826
NET ROADWAY ID LENGTH: 14.826