	5 YR INV	SLD REV	BMP	EMP	INV	SLD REV
DATE	06/04/2018	06/27/2018				
BY	FTE	FTE				

FLORIDA DEPARTMENT OF TRANSPORTATION

STRAIGHT LINE DIAGRAM OF ROAD INVENTORY

SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:
02		SR 64	MANATEE	01	13140000	1 OF 3

0.0 1.0 2.0

ROADWAY FEATURES

OUTSIDE CITY & URBAN
*I<=SR-64
*I<SR 64

CR 675 0.000 675

675 0.498

RIVER MANATEE

UNSIGNED 1.250

SUGGS RD 1.264

0.170 52.0' - 24.0'
2 - 12.0' RDWY
9.0' PVD SHLD1 - LT
5.0' WARN SHLD1 - RT
2.0' C&G SHLD2 - LT
12.0' LWN SHLD2 - RT

0.293 32.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 0.0' RC SHLD2

0.391 67.0' - 24.0'
2 - 12.0' RDWY
11.0 PVD MED
5.0' WARN SHLD1 - LT
5.0' PVD SHLD1 - RT
10.0' LWN SHLD2 - LT
12.0' LWN SHLD2 - RT

0.614 60.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
2 - 12.0' LWN SHLD2

1.776 60.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
2 - 12.0' LWN SHLD2

1.717 43.0' - 24.0'
2 - 12.0' RDWY
6.0' PVD SHLD1 - LT
10.0' PVD SHLD1 - RT
3.0' LWN SHLD2 - LT

LANE WIDTHS ARE AVERAGED

66.0' - 24.0'
2 - 12.0' RDWY
11.0 PVD MED
5.0' PVD SHLD1 - LT
6.0' WARN SHLD1 - RT
12.0' LWN SHLD2 - LT
8.0' LWN SHLD2 - RT

0.123 58.0' - 24.0'
2 - 12.0' RDWY
5.0' PVD SHLD1 - LT
5.0' WARN SHLD1 - RT
2 - 12.0' LWN SHLD2

0.239 46.0' - 24.0'
2 - 12.0' RDWY
9.0' PVD SHLD1 - LT
9.0' WARN SHLD1 - RT
2 - 2.0' C&G SHLD2

0.354 46.0' - 24.0'
2 - 12.0' RDWY
9.0' WARN SHLD1 - LT
9.0' PVD SHLD1 - RT
2 - 2.0' C&G SHLD2

ROADWAY COMPOSITION

28/FC-4 | 0.123 28/FC-4 | 0.293 08/FC-4 | 0.354 28/FC-4 | 0.391 28/FC-4 | 0.614 28/FC-4

28/FC-4

HORIZONTAL ALIGNMENT

Δ=20°43'15.00"
D=2°00'00.00
PC=0.036
PI=0.132
PT=0.229

CURVE DATA NOT FIELD VERIFIED

PC=0.440
PI=0.541
PT=0.643
Δ=20°47'00.00"
D=2°00'00 00

B=N88°25'00"E

PC=1.691
PI=1.779
PT=1.857
Δ=44°54'00.00"
D=5°07'00 00

Δ=44°51'00.00"
D=5°08'00.00
PC=1.901
PI=2.019
PT=2.066

STRUCTURE DESCRIPTION

0.293 #0048 322.1' BR 0.354

1.236 1 - 48" X 60' CMP

1.747 1 - 96" X 60' CMP

DISTRICT USE

SIS

FUN CLASS

RURAL PRIN ART OTHER

2.0 3.0 4.0 5.0 6.0

ROADWAY FEATURES

OUTSIDE CITY & URBAN
*I<=SR-64
*I<SR 64

265 ST E 2.316

VERNA BETHANY RD 2.309

RICH RD 3.179

KIBLER RANCH RD 4.947

RIVER MANATEE

3.908 58.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
12.0' LWN SHLD2 - LT
10.0' LWN SHLD2 - RT

4.569 50.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
6.0' LWN SHLD2 - LT
8.0' LWN SHLD2 - RT

LANE WIDTHS ARE AVERAGED

60.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
2 - 12.0' LWN SHLD2

3.179 48.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
2 - 6.0' LWN SHLD2

3.846 42.0' - 24.0'
2 - 12.0' RDWY
6.0' PVD SHLD1 - LT
5.0' PVD SHLD1 - RT
3.0' LWN SHLD2 - LT
4.0' LWN SHLD2 - RT

4.454 42.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
4.0' LWN SHLD2 - LT
2.0' LWN SHLD2 - RT

4.946 56.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
8.0' LWN SHLD2 - LT
12.0' LWN SHLD2 - RT

5.210 60.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
2 - 12.0' LWN SHLD2

5.869 50.0' - 24.0'
2 - 12.0' RDWY
2 - 13.0' PVD SHLD1

ROADWAY COMPOSITION

28/FC-4

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

B=N88°21'00"E

STRUCTURE DESCRIPTION

2.206 1 - 18" X 64' CMP

2.529 1 - 96" X 64' CMP

2.854 1 - 48" X 54' CMP

2.985 2 - 48" X 52' CMP

3.154 1 - 36" X 64' CMP

3.413 1 - 36" X 56' CC

3.876 1 - 96" X 64' CMP

4.511 2 - 42" X 66' CC

4.870 2 - 30" X 66' CC

5.943 #0142 179.5' BR 5.977

DISTRICT USE

SIS

FUN CLASS

RURAL PRIN ART OTHER

Version: 1.4.2.27 06/27/2018

	5 YR INV	SLD REV	BMP	EMP	INV	SLD REV
DATE	06/04/2018	06/27/2018				
BY	FTE	FTE				

FLORIDA DEPARTMENT OF TRANSPORTATION

STRAIGHT LINE DIAGRAM OF ROAD INVENTORY

SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:
02		SR 64	MANATEE	01	13140000	2 OF 3

6.0 7.0 8.0 9.0 10.0

ROADWAY FEATURES

OUTSIDE CITY & URBAN
*I<=SR-64
*I<SR 64

SCHOOL ENT 7.540

BEAR BAY RD 8.689

LOGUE RD 9.744

LANE WIDTHS ARE AVERAGED

6.095
54.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
8.0' LWN SHLD2 - LT
10.0' LWN SHLD2 - RT
50.0' - 24.0'
2 - 12.0' RDWY
2 - 13.0' PVD SHLD1

6.788
54.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
12.0' LWN SHLD2 - LT
6.0' LWN SHLD2 - RT

6.859
60.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
2 - 12.0' LWN SHLD2

7.435
66.0' - 24.0'
2 - 12.0' RDWY
12.0 PVD MED
2 - 5.0' PVD SHLD1
2 - 10.0' LWN SHLD2

7.715
48.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
2 - 6.0' LWN SHLD2

9.744
56.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
8.0' LWN SHLD2 - LT
12.0' LWN SHLD2 - RT

ROADWAY COMPOSITION

28/FC-4
7.435 28/FC-4
28/FC-4
7.715 28/FC-4

HORIZONTAL ALIGNMENT

PC=6.100 CURVE DATA NOT
PI=6.245 FIELD VERIFIED
PT=6.383
Δ=29°55'00.00"
D=2°00'00.00
B=S61°44'00"E

Δ=30°51'00.00"
D=1°00'00.00
PC=7.817
PI=8.116
PT=8.401
B=N87°35'00"E

STRUCTURE DESCRIPTION

7.738 3 - 36" X 64' CC
8.145 1 - 36" X 64' CC
8.684 3 - 68" X 43" X 72' CC
8.770 3 - 48" X 64' CC

DISTRICT USE

SIS

FUN CLASS

RURAL PRIN ART OTHER

10.0 11.0 12.0

ROADWAY FEATURES

OUTSIDE CITY & URBAN
*I<=SR-64
*I<SR 64

BECKER RD 10.025

JOHNSON CREEK

MYAKKA RIVER

WINGATE RD 10.727

401 ST E 11.097
402 ST E 11.179
403 ST E 11.263
405 ST E 11.345
406 ST E 11.428
407 ST E 11.513
409 ST E 11.596
410 ST E 11.679
411 ST E 11.730

LANE WIDTHS ARE AVERAGED

10.025
52.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
2 - 8.0' LWN SHLD2
56.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
8.0' LWN SHLD2 - LT
12.0' LWN SHLD2 - RT

10.107
39.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
3.0' LWN SHLD2 - LT

10.172
48.0' - 24.0'
2 - 12.0' RDWY
2 - 6.0' PVD SHLD1
2 - 6.0' LWN SHLD2

10.347
58.0' - 24.0'
2 - 12.0' RDWY
11.0 PVD MED
5.0' PVD SHLD1 - LT
5.0' WARN SHLD1 - RT
3.0' LWN SHLD2 - LT
10.0' LWN SHLD2 - RT

10.516
51.0' - 24.0'
2 - 12.0' RDWY
10.0 PVD MED
2.0' PVD SHLD1 - LT
5.0' WARN SHLD1 - RT
10.0' LWN SHLD2 - RT

10.572
29.0' - 24.0'
2 - 12.0' RDWY
2.0' PVD SHLD1 - LT
3.0' PVD SHLD1 - RT

10.645
44.0' - 24.0'
2 - 12.0' RDWY
5.0' WARN SHLD1 - LT
5.0' PVD SHLD1 - RT
2 - 5.0' LWN SHLD2

10.727
54.0' - 24.0'
2 - 12.0' RDWY
4.0' WARN SHLD1 - LT
4.0' PVD SHLD1 - RT
12.0' LWN SHLD2 - LT
10.0' LWN SHLD2 - RT

10.926
56.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

11.513
66.0' - 24.0'
2 - 12.0' RDWY
12.0 PVD MED
2 - 4.0' PVD SHLD1
12.0' LWN SHLD2 - LT
10.0' LWN SHLD2 - RT

11.922
44.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 6.0' LWN SHLD2

ROADWAY COMPOSITION

28/FC-4
10.347 28/FC-4
28/FC-4
10.572 28/FC-4
11.513 28/FC-4
28/FC-4
11.922 28/FC-4

HORIZONTAL ALIGNMENT

STRUCTURE DESCRIPTION

10.122 #0042 31.7' BR 10.128

10.605 #0052 52.8' CB 10.615

10.879 1 - 36" X 66' CC

11.810 1 - 36" X 76' CC

DISTRICT USE

SIS

FUN CLASS

RURAL PRIN ART OTHER

Version: 1.4.2.27 06/27/2018

	5 YR INV	SLD REV	BMP	EMP	INV	SLD REV
DATE	06/04/2018	06/27/2018				
BY	FTE	FTE				

FLORIDA DEPARTMENT OF TRANSPORTATION

STRAIGHT LINE DIAGRAM OF ROAD INVENTORY

SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.
02		SR 64	MANATEE	01	13140000	3 OF 3

12.0 13.0 14.0 15.0

ROADWAY FEATURES

OUTSIDE CITY & URBAN
*I<=SR-64
*I<SR 64

MYAKKA RIVER

KERSEY RD 12.491

PAYNE RD 13.495

WAUCHULA RD 13.733

UNSIGNED 13.976

DUETTE RD 14.672

LANE WIDTHS ARE AVERAGED

44.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 6.0' LWN SHLD2

12.301 40.0' - 24.0'
2 - 12.0' RDWY
7.0' PVD SHLD1 - LT
4.0' PVD SHLD1 - RT
5.0' LWN SHLD2 - RT

12.383 44.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 6.0' LWN SHLD2

13.041 53.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
9.0' LWN SHLD2 - LT
12.0' LWN SHLD2 - RT

13.151 56.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

13.893 50.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
6.0' LWN SHLD2 - LT
12.0' LWN SHLD2 - RT

14.178 44.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 6.0' LWN SHLD2

14.270 50.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
6.0' LWN SHLD2 - LT
12.0' LWN SHLD2 - RT

14.370 56.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

14.472 68.0' - 24.0'
2 - 12.0' RDWY
12.0 PVD MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

14.767 56.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

ROADWAY COMPOSITION

28/FC-4

14.472 28/FC-4
28/FC-4

14.767 28/FC-4

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

Δ=36°20'50.00"
D=4°00'00 00
PC=13.714
PI=13.803
PT=13.886

B=N53°34'57"E

PC=14.917
PI=15.008
PT=15.093
Δ=37°11'50.00"
D=4°00'00 00

STRUCTURE DESCRIPTION

12.329 #0088 12.338
47.5' CB

13.567 1 - 36" X 66' CC

14.240 1 - 24" X 54' CC

14.557 1 - 24" X 62' CC

14.875 2 - 24" X 76' CC

DISTRICT USE

SIS

FUN CLASS

RURAL PRIN ART OTHER

15.0 16.0

ROADWAY FEATURES

OUTSIDE CITY & URBAN
*I<=SR-64
*I<SR 64

SW OAK PT DR 15.729

HARDEE CO LINE

GPS COORDINATES
27° 28'22.945" N
82° 03'20.0514" W

LANE WIDTHS ARE AVERAGED

56.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

15.220 49.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
12.0' LWN SHLD2 - LT
5.0' LWN SHLD2 - RT

15.503 56.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

15.886 52.0' - 24.0'
2 - 12.0' RDWY
2 - 4.0' PVD SHLD1
8.0' LWN SHLD2 - LT
12.0' LWN SHLD2 - RT

END MP: 16.071
NET ROADWAY ID LENGTH: 16.071

ROADWAY COMPOSITION

28/FC-4

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

Δ=37°11'50.00"
D=4°00'00 00
PC=15.671
PI=15.762
PT=15.847

B=S89°13'13"E

STRUCTURE DESCRIPTION

15.714 1 - 30" X 76' CC

DISTRICT USE

SIS

FUN CLASS

RURAL PRIN ART OTHER

Version: 1.4.2.27 06/27/2018