	5 YR INV	SLD REV	BMP	EMP	INV	SLD REV
DATE	02/28/2017	03/17/2017				
BY	FTE	FTE				

FLORIDA DEPARTMENT OF TRANSPORTATION

STRAIGHT LINE DIAGRAM OF ROAD INVENTORY

SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:
02	US 27/US 98	SR 700/SR 25	POLK	01	16170000	1 OF 5

0.0 1.0 2.0

SECTION BEGINS @: HIGHLANDS CO LINE MP: 0.000

OUTSIDE CITY & URBAN
*I<=US-27
*I<SR 25/SR 700
*I<US 27/US 98

HIGHLANDS CO LINE 0.000

BELL RD 0.603

S AVON PK CUT-OFF RD 1.040

ROADWAY FEATURES (LANE WIDTHS ARE AVERAGED)

0.000
121.0' - 48.0'
4 - 12.0' RDWY
41.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED
PC=0.110
PI=0.231
PT=0.350
Δ=12°41'30.00"
D=1°00'00 00
B=N32°52'00"W

STRUCTURE DESCRIPTION

0.117 2 - 36" X 180' CC
0.725 1 - 18" X 75' CC
0.932 1 - 18" X 80' CC
1.204 1 - 18" X 80' CC
1.386 1 - 8' X 3' X 172' CBC
1.697 2 - 8' X 4' X 180' CBC

DISTRICT USE

SIS SIS CORRIDOR

FUN CLASS RURAL PRIN ART OTHER

2.0 3.0 4.0

OUTSIDE CITY & URBAN
*I<=US-27
*I<SR 25/SR 700
*I<US 27/US 98

TABBITHA WAY 2.408

TURNOUT 2.565

AVON PK CUT OFF 2.609

TURNOUT 2.576

TURNOUT 2.617

SCENIC HWY 2.609

I 7

CANAL

LK STREETY

LK STREETY RD 3.297

HARVARD AVE 3.621

PRINCETON AVE 3.697

YALE AVE 3.768

ROADWAY FEATURES (LANE WIDTHS ARE AVERAGED)

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

STRUCTURE DESCRIPTION

2.766 1 - 18" X 80' CC
2.918 1 - 18" X 80' CC
3.063 3.082 #0193 100' BR
#0194 100' BR 3.063 3.082
3.178 1 - 18" X 80' CC
3.223 1 - 18" X 84' CC
3.422 1 - 18" X 80' CC
3.640 1 - 18" X 84' CC
3.790 1 - 18" X 80' CC
3.982 1 - 18" X 80' CC

DISTRICT USE

SIS SIS CORRIDOR

FUN CLASS RURAL PRIN ART OTHER

Version: 1.4.2.26 03/09/2017

	5 YR INV	SLD REV	BMP	EMP	INV	SLD REV
DATE	02/28/2017	03/17/2017				
BY	FTE	FTE				

FLORIDA DEPARTMENT OF TRANSPORTATION

STRAIGHT LINE DIAGRAM OF ROAD INVENTORY

SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:
02	US 27/US 98	SR 700/SR 25	POLK	01	16170000	2 OF 5

4.0 5.0 6.0

ROADWAY FEATURES (LANE WIDTHS ARE AVERAGED)

OUTSIDE CITY & URBAN
*|<=US-27
*|<SR 25/SR 700
*|<US 27/US 98

4.784 *|<=US-27
*|<SR 25/SR 700
*|<US 27/US 98

OTTO POLK RD 4.397
OVERPASS RD 4.572
CSX RR
ST 5.157
BAY ST 5.308
CSX RR
GEORGE ST 5.015
CHARLES 5.157

4.796 118.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG W/ GRD MED
9.0' PVD SHLD1 - LT
5.0' PVD SHLD1 - RT
4.0' VG SHLD2 - LT
12.0' LWN SHLD2 - RT

121.0' - 48.0'
4 - 12.0' RDWY
41.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

4.686 113.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG W/ GRD MED
9.0' PVD SHLD1 - LT
8.0' PVD SHLD1 - RT
2 - 4.0' VG SHLD2

4.887 122.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 5.0' PVD SHLD1
2 - 12.0' LWN SHLD2

5.015 122.0' - 48.0'
4 - 12.0' RDWY
40.0 CB&VEG MED
2 - 2.0' C&G INSHLD1
2 - 5.0' PVD SHLD1
2 - 12.0' LWN SHLD2

5.308 98.0' - 24.0'
2 - 12.0' RDWY
40.0 VEG MED
2 - 5.0' PVD SHLD1
2 - 12.0' LWN SHLD2

5.455 122.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
3.0' PVD INSHLD1 - RT
2 - 5.0' PVD SHLD1
2 - 12.0' LWN SHLD2

5.664 122.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 5.0' PVD SHLD1
2 - 12.0' LWN SHLD2

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

PC=4.596
PI=5.195
PT=5.684
Δ=57°47'30.00"
D=1°00'00 00

PC=4.596
PI=5.195
PT=5.684
Δ=57°47'30.00"
D=1°00'00 00

Δ=56°51'30.00"
D=1°19'00 00
PC=4.921
PI=5.341
PT=5.735
B=N31°56'00"W

STRUCTURE DESCRIPTION

4.191 1 - 18" X 80' CC
4.407 1 - 18" X 80' CC
4.577 1 - 18" X 80' CC
4.765 4.806 #0195 217' BR
#0196 217' BR 4.755 4.796
5.131 1 - 18" X 80' CC
5.499 1 - 18" X 80' CC
5.720 1 - 8' X 3' X 180' CBC
5.862 1 - 18" X 80' CC

DISTRICT USE

SIS

SIS CORRIDOR

FUN CLASS

RURAL PRIN ART OTHER

4.784 URBAN PRIN ART OTHER

6.0 7.0 8.0

ROADWAY FEATURES (LANE WIDTHS ARE AVERAGED)

6.851 INSIDE URBAN, OUTSIDE CITY * FROSTPROOF
6.885 OUTSIDE CITY & URBAN

CREEK
CLINCH

700 98

6.869 TURNOUT 6.902

TURNOUT 6.845

LILY CREEK WAY 6.470

6.869 CR-630

7.000 120.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

STRUCTURE DESCRIPTION

6.068 1 - 18" X 80' CC
6.270 6.275 #0200 26' CB 6.343 1 - 10' X 3' X 180' CBC
6.607 1 - 18" X 80' CC
6.721 1 - 18" X 80' CC
6.969 2 - 36" X 185' CC
7.017 1 - 18" X 80' CC
7.250 1 - 8' X 4' X 180' CBC
7.492 1 - 18" X 80' CC
7.669 2 - 8' X 4' X 180' CBC
7.838 1 - 18" X 80' CC

DISTRICT USE

SIS

SIS CORRIDOR

FUN CLASS

URBAN PRIN ART OTHER

6.885 RURAL PRIN ART OTHER

Version: 1.4.2.26 03/09/2017

	5 YR INV	SLD REV	BMP	EMP	INV	SLD REV
DATE	02/28/2017	03/17/2017				
BY	FTE	FTE				

FLORIDA DEPARTMENT OF TRANSPORTATION

STRAIGHT LINE DIAGRAM OF ROAD INVENTORY

SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:
02	US 27	SR 25	POLK	01	16170000	3 OF 5

8.0 9.0 10.0

ROADWAY FEATURES

OUTSIDE CITY & URBAN
*|<=US-27
*|<SR 25
*|<US 27

RIDGE LANDING ENT 8.876

XERISCAPE NURSERY RD 9.137

LK CALOOSA LANDING 9.365

LIMPKIN LN 9.679

TURNOUT 8.607

TURNOUT 8.640

8.626

630 A

LANE WIDTHS ARE AVERAGED

120.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

Δ=6°10'58.00"
D=2°00'
PC=8.446
PI=8.475
PT=8.485
B=N38°06'58"W

Δ=6°10'58.00"
D=2°00'00 00
PC=8.737
PI=8.761
PT=8.796
B=N44°17'56"W

PC=9.424
PI=9.702
PT=10.021
Δ=31°42'00.00"
D=1°00'00 00

STRUCTURE DESCRIPTION

8.008 — 1 - 7' X 3' X 160' CBC
8.152 — 1 - 18" X 80' CC
8.368 — 1 - 18" X 80' CC
8.576 — 1 - 18" X 80' CC
8.829 — 1 - 8' X 3' X 160' CBC
9.074 — 1 - 18" X 80' CC
9.261 — 1 - 10' X 4' X 160' CBC
9.481 — 1 - 18" X 80' CC
9.562 — 1 - 5' X 4' X 155' CBC
9.708 — 1 - 18" X 80' CC
9.953 — 1 - 18" X 80' CC

DISTRICT USE

SIS

SIS CORRIDOR

FUN CLASS

RURAL PRIN ART OTHER

10.0 11.0 12.0

ROADWAY FEATURES

CAMP INN RESORT ENT 10.184

DRAINAGE DITCH

MCCOY

LANE WIDTHS ARE AVERAGED

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

B=N00°13'00"W

STRUCTURE DESCRIPTION

10.104 — 1 - 8' X 4' X 155' CBC
10.366 — 1 - 18" X 80' CC
10.593 — 1 - 18" X 80' CC
11.009 — 1 - 18" X 80' CC
11.198 — 1 - 18" X 80' CC
11.506 — #0075 26' CB — 11.511
11.597 — 1 - 18" X 80' CC
11.641 — 1 - 10' X 6' X 155' CBC
11.930 — 1 - 18" X 80' CC

DISTRICT USE

SIS

SIS CORRIDOR

FUN CLASS

RURAL PRIN ART OTHER

Version: 1.4.2.26 03/09/2017

	5 YR INV	SLD REV	BMP	EMP	INV	SLD REV
DATE	02/28/2017	03/17/2017				
BY	FTE	FTE				

FLORIDA DEPARTMENT OF TRANSPORTATION

STRAIGHT LINE DIAGRAM OF ROAD INVENTORY

SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:
02	US 27	SR 25	POLK	01	16170000	4 OF 5

12.0 13.0 14.0

ROADWAY FEATURES (LANE WIDTHS ARE AVERAGED)

OUTSIDE CITY & URBAN
*I<=US-27
*I<SR 25
*I<US 27

CANAL SL
CROOK LAKE
DR 13.663
LAKESIDE GARDEN DR 13.507
PRESIDENTS 13.663
SUNSHINE DR 13.859

120.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

13.505 122.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 5.0' PVD SHLD1
2 - 12.0' LWN SHLD2

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

PC=12.580
PI=13.006
PT=13.421
Δ=22°15'00.00"
D=0°30'00 00

B=N22°02'00"E

STRUCTURE DESCRIPTION

12.125 1 - 18" X 80' CC
12.488 12.496 #0067 42' CB
12.599 1 - 18" X 80' CC
12.773 1 - 18" X 80' CC
12.973 1 - 15" X 80' CC
13.145 1 - 18" X 80' CC
13.394 1 - 10' X 8' X 155' CBC
13.507 1 - 18" X 80' CC
13.861 1 - 18" X 80' CC

DISTRICT USE

SIS

SIS CORRIDOR

FUN CLASS

RURAL PRIN ART OTHER

14.0 15.0 16.0

ROADWAY FEATURES (LANE WIDTHS ARE AVERAGED)

JACKSON ST 14.153
HEATHERWOOD BLVD 14.442
ALTA/BAB PARK CUTOFF 14.915
RV PARK ENT 15.332
LAKE WALES CAMP GR 15.549
PENNY LOOP 15.931

1ST AVE N 14.227
COLLEGE BLVD 14.290
ALTURAS RD 14.915
640
HARBOR DR 15.549

14.912 120.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

15.332 118.0' - 48.0'
4 - 12.0' RDWY
38.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

15.931 120.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

Δ=44°11'45.00"
D=0°35'00.00
PC=14.584
PI=15.339
PT=16.019

STRUCTURE DESCRIPTION

14.064 1 - 15" X 80' CC
14.151 1 - 15" X 80' CC
14.322 1 - 15" X 80' CC
14.541 1 - 15" X 80' CC
14.671 2 - 36" X 160' CC
14.751 1 - 15" X 80' CC
14.860 1 - 15" X 80' CC
15.061 1 - 15" X 80' CC
15.226 2 - 24" X 160' CC
15.321 1 - 18" X 80' CC
15.502 1 - 36" X 160' CC
15.722 1 - 15" X 80' CC
15.847 1 - 36" X 160' CC
15.931 1 - 18" X 80' CC

DISTRICT USE

SIS

SIS CORRIDOR

FUN CLASS

RURAL PRIN ART OTHER

Version: 1.4.2.26 03/09/2017

	5 YR INV	SLD REV	BMP	EMP	INV	SLD REV
DATE	02/28/2017	03/17/2017				
BY	FTE	FTE				

FLORIDA DEPARTMENT OF TRANSPORTATION

STRAIGHT LINE DIAGRAM OF ROAD INVENTORY

SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:
02	US 27	SR 25	POLK	01	16170000	5 OF 5

16.0 — 17.0 — 18.0

ROADWAY FEATURES

OUTSIDE CITY & URBAN
¶<=US-27
¶<SR 25
¶<US 27

LONGLEAF BUS PARK 16.508

LONGLEAF BUS PARK 17.026

17.530 INSIDE CITY, AND URBAN
* LAKE WALES
* WINTER HAVEN

17.580 INSIDE URBAN, OUTSIDE CITY
* WINTER HAVEN

9948

17.561

17.566 OWENS DR

MYERS RD 16.211

HILLTOP LOOP 16.328

DANS TERRACE 16.570

CANDLE RD 16.755

TURNOUT 16.998

17.026 HUNT BROTHERS RD

TURNOUT 17.038

OWENS RD 17.568

17.679 MIAMI ST

LANE WIDTHS ARE AVERAGED

120.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

PC=17.653
PI=17.962
PT=18.265
Δ=21°31'30.00"
D=0°40'00.00"

B=N22°09'45"W

STRUCTURE DESCRIPTION

16.069 — 1 - 18" X 80' CC
16.277 — 1 - 15" X 80' CC
16.361 — 1 - 36" X 160' CC
16.506 — 1 - 15" X 80' CC
16.680 — 1 - 24" X 160' CC
16.749 — 1 - 18" X 80' CC
16.800 — 2 - 36" X 120' CC
16.809 — 1 - 42" X 80' CC
16.883 — 1 - 15" X 80' CC
17.032 — 1 - 18" X 80' CC
17.335 — 1 - 18" X 80' CC
17.506 — 1 - 18" X 84' CC
17.620 — 1 - 18" X 80' CC
17.750 — 1 - 24" X 155' CC
17.938 — 1 - 18" X 80' CC

DISTRICT USE

SIS

SIS CORRIDOR

FUN CLASS

RURAL PRIN ART OTHER

17.530 URBAN PRIN ART OTHER

18.0

ROADWAY FEATURES

18.207 INSIDE CITY, AND URBAN
* LAKE WALES
* WINTER HAVEN

CEMETERY ENT 18.678

18.697 INSIDE URBAN, OUTSIDE CITY
* WINTER HAVEN

2-QUADRANT CLOVERLEAF

60

SR-60 EB TO US-27 SB 18.815

OAK AVE 18.787

N END OF UP#160134

LAUREL MHP 18.250

OAK AVE 18.787

18.812 US-27 NB TO SR-60 EB

TURNOUT 18.821

60

SECTION ENDS @:
N END OF UP#160134
MP: 18.838

LANE WIDTHS ARE AVERAGED

18.011 — 117.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
12.0' LWN SHLD2 - LT
9.0' LWN SHLD2 - RT

18.101 — 120.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

18.270 — 108.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
12.0' LWN SHLD2 - LT

18.449 — 120.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

18.530 — 117.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
9.0' LWN SHLD2 - LT
12.0' LWN SHLD2 - RT

18.614 — 120.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
2 - 4.0' PVD SHLD1
2 - 12.0' LWN SHLD2

18.729 — 106.0' - 48.0'
4 - 12.0' RDWY
40.0 VEG MED
4.0' PVD SHLD1 - LT
2.0' C&G SHLD1 - RT
12.0' LWN SHLD2 - LT

18.821 — 111.0' - 48.0'
4 - 12.0' RDWY
40.0 PVD W/ BAR MED
7.0' PVD INSHLD1 - LT
15.0' PVD INSHLD1 - RT
6.0' PVD SHLD1 - LT
7.0' PVD SHLD1 - RT
10.0' LWN SHLD2 - LT

END MP: 18.838
NET ROADWAY ID LENGTH: 18.838

ROADWAY COMPOSITION

28/FC-3

28/FC-3

HORIZONTAL ALIGNMENT

CURVE DATA NOT FIELD VERIFIED

B=N00°38'15"W

STRUCTURE DESCRIPTION

18.018 — 1 - 24" X 180' CC
18.183 — 1 - 18" X 96' CC
18.277 — 1 - 48" X 160' CC
18.392 — 1 - 18" X 80' CC
18.690 — 1 - 18" X 72' CC
18.833 — #0134 26' UP — 18.838

DISTRICT USE

SIS

SIS CORRIDOR

SIS CORRIDOR 18.838

FUN CLASS

URBAN PRIN ART OTHER

Version: 1.4.2.26 03/09/2017