

5 YR INV		SLD REV		BMP		EMP		INV		SLD REV		SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.	
DATE	04/02/2017		04/27/2017	3.466	3.466	08/24/2017	METRIC	08/24/2017	METRIC			02	US 441	SR 25/SR 24	ALACHUA	02	26010000	1 OF 3	
BY	METRIC		METRIC	0.000	17.471	06/08/2017	FDOT	06/09/2017	Metric										

0.0		1.0		2.0		3.0	
SECTION BEGINS:	OUTSIDE CITY & URBAN					INSIDE CITY, NOT URBAN	
MARION CO LINE	* <=US-441 * <SR 25 * <US 441					* MICANOPY * <=US-441 * <SR 25 * <US 441	
ROADWAY	SE 185 AVE 0.000	VETERANS WAY 0.713	VETERANS WAY 1.072	SE 169 AVE 1.446	SE CR-346 2.019	MEMORIAL LN 2.562	NE EASY ST 2.724
FEATURES	NW 230 ST 0.000	SE 189 PL 0.184			346		234
LANE WIDTHS ARE AVERAGED	116.0' - 48.0' 4 - 12.0' RDWY 40.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 10.0' LWN SHLD2					120.0' - 48.0' 4 - 12.0' RDWY 40.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 6.0' PVD SHLD1 2 - 10.0' LWN SHLD2	116.0' - 48.0' 4 - 12.0' RDWY 40.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 4.0' PVD SHLD1 2 - 10.0' LWN SHLD2
ROADWAY COMPOSITION	28/FC-5						
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED PC=-0.189 PI=0.340 PT=0.490 Δ=7°59'00.00" D=0°30'			PC=1.548 PI=1.699 PT=1.850 Δ=5°20'00.00" D=0°20'		Δ=38°02'00.00" D=2°26'	PC=2.277 PI=2.430 PT=2.573 Δ=3°00'
STRUCTURE DESCRIPTION	0.019 1-24' X 68' CC	0.083 1-24' X 188' CC - LT 1-24' X 188' CC - RT	0.083 1-15' X 78' CC	0.232 1-15' X 78' CC	0.330 1-15' X 60' CC	0.709 1-15' X 70' CC	0.839 2-30' X 156' CC - LT 2-30' X 156' CC - RT
DISTRICT USE							
SIS							
FUN CLASS	RURAL PRIN ART OTHER						
SPEED LIMIT	65MPH					55MPH	65MPH
AC MAN CLS	ACCESS CLASS03					ACCESS CLASS03	ACCESS CLASS05

3.0		4.0		5.0		6.0	
SECTION BEGINS:	INSIDE CITY, NOT URBAN		OUTSIDE CITY & URBAN				
MARION CO LINE	* <=US-441 * <SR 25 * <US 441		* <=US-441 * <SR 25 * <US 441				
ROADWAY	N DIVISION ST 3.028	NE ONEHUMKEE 5TH ST 3.305	SE CR-234 3.574	SE WACAHOOTA RD 4.517	WHITEHORST RD 4.517	SE 134 AVE 5.182	
FEATURES			234				
LANE WIDTHS ARE AVERAGED	120.0' - 48.0' 4 - 12.0' RDWY 40.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 6.0' PVD SHLD1 2 - 10.0' LWN SHLD2	120.0' - 48.0' 4 - 12.0' RDWY 40.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 6.0' PVD SHLD1 2 - 10.0' LWN SHLD2	124.0' - 48.0' 4 - 12.0' RDWY 40.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 8.0' WARN SHLD1 2 - 10.0' LWN SHLD2				
ROADWAY COMPOSITION	28/FC-5						
HORIZONTAL ALIGNMENT	PC=3.051 PI=3.215 PT=3.378 Δ=5°46'00.00" D=0°20'	CURVE DATA NOT FIELD VERIFIED	PC=3.578 PI=3.676 PT=3.772 Δ=20°26'00.00" D=2°00'	PI=4.477 Δ=0°41'00.00"	PC=4.663 PI=5.020 PT=5.326 Δ=52°30'00.00" D=1°30'	Δ=53°29'00.00" D=3°00'	PC=5.454 PI=5.636 PT=5.792
STRUCTURE DESCRIPTION	3.088 1-15' X 4' X 184' CC	3.170 1-15' X 82' CC	3.308 1-15' X 64' CC	3.605 1-15' X 74' CC	3.773 1-15' X 76' CC	3.908 3-24' X 174' CC - LT 3-24' X 174' CC - RT	4.111 1-15' X 76' CC
DISTRICT USE							
SIS							
FUN CLASS	RURAL PRIN ART OTHER						
SPEED LIMIT	45MPH	45MPH	55MPH			45MPH	
AC MAN CLS	ACCESS CLASS05	ACCESS CLASS05	ACCESS CLASS05			ACCESS CLASS05	

5 YR INV		SLD REV		BMP		EMP		INV		SLD REV		SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.	
DATE	04/02/2017		04/27/2017	3.466	3.466	08/24/2017	METRIC	08/24/2017	METRIC			02	US 441	SR 25/SR 24	ALACHUA	02	26010000	2 OF 3	
BY	METRIC		METRIC	0.000	17.471	06/08/2017	FDOT	06/09/2017	Metric										

6.0		7.0		8.0		9.0													
ROADWAY FEATURES	OUTSIDE CITY & URBAN *GAINESVILLE *US 441 *SR 25 *US 441																		
LANE WIDTHS ARE AVERAGED	124.0' - 48.0' 4 - 12.0' RDWY 40.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 8.0' WARN SHLD1 2 - 10.0' LWN SHLD2					104.0' - 48.0' 4 - 12.0' RDWY 20.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 8.0' WARN SHLD1 2 - 10.0' LWN SHLD2													
ROADWAY COMPOSITION	28/FC-5																		
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED		PC=6.717 PI=6.856 PT=6.991 Δ=22°03'00.00" D=1°31'		PC=7.440 PI=7.647 PT=7.852 Δ=16°21'00.00" D=0°45'														
STRUCTURE DESCRIPTION	6.320 1-15' X 70' CC	6.385 1-15' X 80' CC	6.556 1-15' X 80' CC	6.694 4-36' X 180' CC - LT 4-36' X 180' CC - RT	6.809 1-15' X 74' CC	7.002 1-15' X 60' CC	7.321 3-36' X 168' CC	7.376 1-15' X 78' CC	7.699 1-15' X 60' CC	7.799 1-15' X 50' CC	7.853 1-6' X 7' X 154' CC	8.046 1-8' X 4' X 142' CC	8.195 1-30' X 136' CC	8.379 1-30' X 136' CC	8.594 1-30' X 136' CC	8.752 1-15' X 16' CC	8.755 1-15' X 16' CC	8.839 1-30' X 138' CC	
DISTRICT USE																			
SIS																			
FUN CLASS	RURAL PRIN ART OTHER																		
SPEED LIMIT	65MPH																		
AC MAN CLS	ACCESS CLASS03																		

9.0		10.0		11.0		12.0													
ROADWAY FEATURES	OUTSIDE CITY & URBAN *GAINESVILLE *US 441 *SR 25 *US 441	INSIDE URBAN, OUTSIDE CITY *GAINESVILLE *US 441 *SR 25 *US 441					INSIDE URBAN, OUTSIDE CITY *GAINESVILLE *US 441 *SR 25 *US 441	INSIDE CITY, AND URBAN *GAINESVILLE *GAINESVILLE *US 441 *SR 25 *US 441											
LANE WIDTHS ARE AVERAGED	104.0' - 48.0' 4 - 12.0' RDWY 20.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 8.0' WARN SHLD1 2 - 10.0' LWN SHLD2	124.0' - 48.0' 4 - 12.0' RDWY 40.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 8.0' WARN SHLD1 2 - 10.0' LWN SHLD2					100.0' - 48.0' 4 - 12.0' RDWY 30.0 VEG MED 2 - 1.0' PVD INSHLD1 2 - 5.0' PVD SHLD1 2 - 6.0' LWN SHLD2												
ROADWAY COMPOSITION	28/FC-5																		
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED		PC=9.716 PI=9.812 PT=9.907 Δ=12°30'00.00" D=1°15'		Δ=20°30'00.00" D=1°57'	PC=10.841 PI=10.971 PT=11.099 Δ=27°34'00.00" D=2°02'	PI=11.333												
STRUCTURE DESCRIPTION	9.061 1-8' X 4' X 138' CC	9.291 1-18' X 16' CC	9.410 1-6' X 5' X 146' CC	9.597 1-18' X 16' CC	9.724 1-15' X 66' CC	9.995 1-15' X 70' CC	10.186 1-15' X 74' CC	10.345 1-15' X 70' CC	10.399 1-30' X 170' CC - LT 1-30' X 170' CC - RT	10.671 1-24' X 148' CC - LT 1-24' X 148' CC - RT	10.751 1-15' X 70' CC	10.918 1-15' X 76' CC	11.089 1-15' X 70' CC	11.311 1-15' X 70' CC	11.766 1-24' X 140' CC - LT 1-24' X 140' CC - RT				
DISTRICT USE																			
SIS																			
FUN CLASS	RURAL PRIN ART OTHER					URBAN PRIN ART OTHER													
SPEED LIMIT	65MPH		60MPH		55MPH								45MPH					45MPH	
AC MAN CLS	ACCESS CLASS03																	ACCESS CLASS03	ACCESS CLASS05

5 YR INV		SLD REV		BMP		EMP		INV		SLD REV		SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.	
DATE	04/02/2017	04/27/2017		3.466	3.466	08/24/2017 METRIC		08/24/2017 METRIC		06/09/2017 Metric		02	US 441	SR 25/SR 24	ALACHUA	02	26010000	3 OF 3	
BY	METRIC	METRIC		0.000	17.471	06/08/2017 FDOT		06/09/2017 Metric											

ROADWAY	12.0	13.0	14.0	15.0
INSIDE CITY, AND URBAN	INSIDE CITY, AND URBAN			
* GAINESVILLE	* GAINESVILLE			
* GAINESVILLE	* GAINESVILLE			
<=SW 13TH/MLK JR HWY	<=SW 13TH/MLK JR HWY			
<=SR 25	<=SR 25			
<=US 441	<=US 441			
ROADWAY FEATURES	BIVENS COVE 12.149 APT ENT 12.284 APT ENT 12.423 SW 25TH 12.593 SW 21ST 12.876	TUMBLIN CREEK SW 18TH PL 12.998 SR 24A/SR 26 13.125 SW 14TH AVE 13.223 SW 13TH AVE 13.288 SW 12TH AVE 13.345	DIAMOND RD 13.504 MUSEUM RD 13.707 UNDERPASS SW 5TH AVE 13.879 SW 4TH AVE 13.960 UNION RD 14.077 SW 3RD AVE 14.012 SW 2ND AVE 14.077 SW 1ST PL 14.109 SW 1ST AVE 14.141	INSIDE CITY, AND URBAN * GAINESVILLE * GAINESVILLE * GAINESVILLE <=SW 13TH/MLK JR HWY <=SR 25 <=US 441 SR 26 14.203 UNDESIGNED 14.255 UNDESIGNED 14.293 AVE 14.332 NW 3RD PL 14.332 NW 4TH AVE 14.377 NW 5TH AVE 14.457 NW 6TH AVE 14.540 NW 6TH PL 14.521 NW 7TH AVE 14.589 APT ENT 14.656 NW 8TH AVE 14.709 NW 9TH AVE 14.772 NW 10TH AVE 14.835 NW 11TH AVE 14.901 NW 12TH AVE 14.960
LANE WIDTHS ARE AVERAGED	100.0' - 48.0' 4 - 12.0' RDWY 30.0 VEG MED 2 - 1.0' PVD INSHLD1 2 - 5.0' PVD SHLD1 2 - 6.0' LWV SHLD2	98.0' - 48.0' 4 - 12.0' RDWY 30.0 CB&VEG MED 2 - 2.0' C&G INSHLD1 2 - 8.0' PVD SHLD1 2 - 2.0' CRG SHLD2	84.0' - 48.0' 4 - 12.0' RDWY 16.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 8.0' PVD SHLD1 2 - 2.0' CRG SHLD2 65.0' - 48.0' 4 - 12.0' RDWY 13.0 PVD MED 2 - 2.0' CRG SHLD1 65.0' - 48.0' 4 - 12.0' RDWY 13.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 2.0' CRG SHLD1	65.0' - 48.0' 4 - 12.0' RDWY 13.0 PVD MED 2 - 2.0' CRG SHLD1 65.0' - 48.0' 4 - 12.0' RDWY 13.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 2.0' CRG SHLD1
ROADWAY COMPOSITION	28/FC-5 28/FC-5	28/FC-5 28/FC-5	28/FC-5 28/FC-5	28/FC-5 28/FC-5
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED Δ=7°31'00.00" D=1'00" PC=12.241 PI=12.312 PT=12.383 B=N01°31'18"W			Δ=3°29'00.00" D=1'15" PC=14.274 PI=14.300 PT=14.327 B=N05°00'18"W B=N09°16'18"W B=N07°38'18"W B=N08°49'28"W B=N09°15'34"W B=N09°20'55"W
STRUCTURE DESCRIPTION	12.095 1-8' X 6' X 136' CC	12.447 1-24' X 136' CC-LT 1-24' X 136' CC-RT	12.971 #0018 25' CB 13.022 1-24' X 180' CC	13.445 #0003 11' UP 13.447 #9001 11' UP 13.834 #9001 11' UP 13.836 #0037 106' BR 14.709 #0037 106' BR 14.729
DISTRICT USE	SIS			
FUN CLASS	URBAN PRIN ART OTHER			
SPEED LIMIT	45MPH	45MPH	35MPH	30MPH
AC MAN CLS	ACCESS CLASS05	ACCESS CLASS05	ACCESS CLASS06	ACCESS CLASS05

ROADWAY	15.0	16.0	17.0	SECTION ENDS:
INSIDE CITY, AND URBAN	INSIDE CITY, AND URBAN			
* GAINESVILLE	* GAINESVILLE			
* GAINESVILLE	* GAINESVILLE			
<=SW 13TH/MLK JR HWY	<=SW 13TH/MLK JR HWY			
<=SR 25	<=SR 25			
<=US 441	<=US 441			
ROADWAY FEATURES	NW 14TH AVE 15.086 NW 16TH AVE 15.212 SCHOOL EXIT 15.331 LN 15.459 NW 21ST AVE 15.589 NW 22ND AVE 15.656 SR 120/ SR 23RD AVE 15.714 SHOPPING ENT 15.815 BLK 15.909 SHOPPING ENT 15.985	NW 29TH RD 16.070 NW 30TH AVE 16.140 NW 31ST AVE 16.194 NW 32ND AVE 16.279 NW 33RD AVE 16.344 NW 33RD PL 16.394 16.443 NW 34TH PL 16.470 NW 35TH AVE 16.497 HOGTOWN CREEK 16.554 NW 36TH PL 16.718 SR 222/ 16.718 NW 41ST AVE 16.831 NW 42ND AVE 16.974	NW 39TH AVE 16.718 NW 41ST RD 16.898 NW 43RD AVE 17.039 NW 44TH AVE 17.136 NW 45TH AVE 17.222	SECTION ENDS: SR 20 17.471 201000 TO SR 20 17.471
LANE WIDTHS ARE AVERAGED	65.0' - 48.0' 4 - 12.0' RDWY 13.0 PVD MED 2 - 2.0' CRG SHLD1	82.0' - 48.0' 4 - 12.0' RDWY 20.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 5.0' PVD SHLD1 2 - 2.0' CRG SHLD2	82.0' - 48.0' 4 - 12.0' RDWY 20.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 5.0' PVD SHLD1 2.0' CRG SHLD2 - LT 2.0' C&G SHLD2 - RT	END MP: 17.471 NET ROADWAY ID LENGTH: 17.471
ROADWAY COMPOSITION	28/FC-5 28/FC-5	28/FC-5 28/FC-5	28/FC-5 28/FC-5	
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED PI=15.217 Δ=0°02'55.00" B=N09°18'00"W			PI=15.721 Δ=0°16'54.00" B=N09°01'06"W
	Δ=0°00'09.00" PI=16.222 B=N09°01'15"W			Δ=0°33'24.00" PI=16.723 B=N09°34'39"W
				Δ=0°04'55.00" PI=16.978 B=N09°39'34"W
				PI=17.096 Δ=0°26'40.00" B=N17°00'26"E
STRUCTURE DESCRIPTION	16.541 #0092 26' CB 16.546			
DISTRICT USE	SIS			
FUN CLASS	URBAN PRIN ART OTHER			
SPEED LIMIT	35MPH	35MPH	45MPH	
AC MAN CLS	ACCESS CLASS06	ACCESS CLASS06	ACCESS CLASS05	ACCESS CLASS05