

5 YR INV		SLD REV		BMP		EMP		INV		SLD REV		SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.							
DATE	03/29/2017	04/20/2017		5.082	25.370	03/13/2018	FDOT	04/02/2018	METRIC	08/24/2017	METRIC								08/24/2017	METRIC					
BY	METRIC	METRIC		2.890	2.890	06/08/2017	FDOT	06/09/2017	Metric	FLORIDA DEPARTMENT OF TRANSPORTATION STRAIGHT LINE DIAGRAM OF ROAD INVENTORY									12	US 441/US 41	CR 329/SR 20/SR 25	ALACHUA	02	26020000	3 OF 5
ROADWAY	12.0		13.0										14.0						15.0						
FEATURES	INSIDE CITY, AND URBAN * ALACHUA * GAINESVILLE * <=US-441 N MLK BLVD * <SR 20/SR 25 * <US 441		INSIDE CITY, AND URBAN * ALACHUA * GAINESVILLE * <=US-441 N/MLK MEM HWY * <SR 20/SR 25 * <US 441										INSIDE CITY, NOT URBAN * ALACHUA * <=US-441 N/MLK MEM HWY * <SR 20/SR 25 * <US 441						CELLON CREEK BLVD 14.926						
LANE WIDTHS ARE AVERAGED	132.0' - 48.0' 4 - 12.0' RDWY 56.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 10.0' LWN SHLD2		132.0' - 48.0' 4 - 12.0' RDWY 56.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 10.0' LWN SHLD2										132.0' - 48.0' 4 - 12.0' RDWY 56.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 10.0' LWN SHLD2						14.657 1 - 30' X 181' CC 14.736 1 - 30' X 182' CC						
COMPOSITION	28/FC-5		28/FC-5										28/FC-5												
ALIGNMENT	CURVE DATA NOT FIELD VERIFIED		CURVE DATA NOT FIELD VERIFIED										PC=13.719 PI=13.849 PT=13.980 Δ=6°52'00.00" D=0°30'						PC=14.822 PI=14.851 PT=14.899 Δ=4°05'00.00" D=1°00'						
STRUCTURE DESCRIPTION	B=N76°01'41"W		B=N76°01'41"W										B=N69°09'41"W						B=N65°04'41"W						
DISTRICT USE	URBAN PRIN ART OTHER		URBAN PRIN ART OTHER										RURAL PRIN ART OTHER												
SPEED LIMIT	60MPH		60MPH										65MPH												
AC MAN CLS	ACCESS CLASS03		ACCESS CLASS03										ACCESS CLASS03												

ROADWAY	15.0		16.0										17.0						18.0		
FEATURES	INSIDE CITY, NOT URBAN * ALACHUA * <=US-441 N/MLK MEM HWY * <SR 20/SR 25 * <US 441		INSIDE CITY, NOT URBAN * ALACHUA * <=US-441 N/MLK MEM HWY * <SR 20/SR 25 * <US 441										INSIDE CITY, NOT URBAN * ALACHUA * <=US-441 N/MLK MEM HWY * <SR 20/SR 25 * <US 441						SR-235 NW 140 ST 17.962		
LANE WIDTHS ARE AVERAGED	132.0' - 48.0' 4 - 12.0' RDWY 56.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 10.0' LWN SHLD2		132.0' - 48.0' 4 - 12.0' RDWY 56.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 10.0' LWN SHLD2										132.0' - 48.0' 4 - 12.0' RDWY 56.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 10.0' LWN SHLD2						84.0' - 48.0' 4 - 12.0' RDWY 20.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 6.0' PVD SHLD1 2 - 2.0' C&G SHLD2		
COMPOSITION	28/FC-5		28/FC-5										28/FC-5								
ALIGNMENT	CURVE DATA NOT FIELD VERIFIED		Δ=36°29'00.00" D=2°00' PC=15.735 PI=15.914 PT=16.081										PC=16.279 PI=16.526 PT=16.733 Δ=59°53'57.00" D=2°30'						Δ=43°19'58.00" D=2°30' PC=16.982 PI=17.137 PT=17.310	PC=17.631 PI=17.715 PT=17.857 Δ=14°55'00.00" D=1°15'	PC=17.857 PI=17.935 PT=18.012 Δ=14°14'00.00" D=1°37'
STRUCTURE DESCRIPTION	B=S78°26'19"W		B=S78°26'19"W										B=N41°39'44"W						B=N84°59'42"W		
DISTRICT USE	RURAL PRIN ART OTHER		RURAL PRIN ART OTHER										RURAL PRIN ART OTHER								
SPEED LIMIT	65MPH		55MPH										45MPH						45MPH		
AC MAN CLS	ACCESS CLASS03		ACCESS CLASS03										ACCESS CLASS03						ACCESS CLASS05		


FLORIDA DEPARTMENT OF TRANSPORTATION
STRAIGHT LINE DIAGRAM OF ROAD INVENTORY



	18.0		19.0		20.0		21.0
ROADWAY	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N/ALK MEM HWY *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441
FEATURES	N MAIN ST 18.075 NW 142 TER 18.180 NW 144 WAY 18.294 DR 18.481 NW 149 TER 18.676 NW 158 LN 18.676	NW 141 ST 18.075 NW 154 TH 18.222 NW 144 ST 18.294 NW 147 TH 18.481	APRIL BLVD 19.097 NB ON 19.169 26260031 19.217 26260032 NB OFF 1751 19.337 26260033 SB ON 19.337	NW 167TH BLVD 19.677 SHOPPING ENT 19.747 SCHOOL ENT 19.828	NW 235A 20.076 NW 174 DR 20.217	NW 164 LN 20.432	
LANE WIDTHS ARE AVERAGED	88.0' - 48.0' 4 - 12.0' RDWY 20.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 6.0' PVD SHLD1 6.0' LWN SHLD2 - LT 2.0' C&G SHLD2 - RT	96.0' - 48.0' 4 - 12.0' RDWY 20.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 4.0' PVD SHLD1 2 - 10.0' LWN SHLD2	105.0' - 48.0' 4 - 12.0' RDWY 41.0 CB&VEG MED 2 - 2.0' CRG INSHLD1 2 - 4.0' PVD SHLD1 2 - 4.0' LWN SHLD2	112.0' - 48.0' 4 - 12.0' RDWY 40.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 8.0' LWN SHLD2	112.0' - 48.0' 4 - 12.0' RDWY 40.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 8.0' LWN SHLD2		
ROADWAY COMPOSITION	28/FC-5	28/FC-5					
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED		$\Delta=23^{\circ}10'00.00''$ $D=2'00'$ $PC=18.544$ $PI=18.656$ $PT=18.764$				
STRUCTURE DESCRIPTION	B=N55°50'42"W		B=N79°00'42"W				
DISTRICT USE							
SIS							
FUN CLASS	RURAL PRIN ART OTHER						
SPEED LIMIT	45MPH		45MPH		55MPH		65MPH
AC MAN CLS	ACCESS CLASS05		ACCESS CLASS05		ACCESS CLASS05		ACCESS CLASS05

	21.0		22.0		23.0		24.0
ROADWAY	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441	INSIDE CITY, NOT URBAN *ALACHUA *US-441 N *SR 20/SR 25 *US 441
FEATURES	NW 188 ST 21.138	OAK RIDGE 21.356	NW 194TH ST 21.555	FIRE STATION 21.910 NW 170 LN 21.975	NW 202 ST 22.135	NW 207 TER 22.475	NW 218TH TER 23.222
LANE WIDTHS ARE AVERAGED	112.0' - 48.0' 4 - 12.0' RDWY 40.0 VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 8.0' LWN SHLD2						89.0' - 48.0' 4 - 12.0' RDWY 23.957 23.17.0 CB&VEG MED 2 - 2.0' PVD INSHLD1 2 - 4.0' PVD SHLD1 2 - 8.0' LWN SHLD2
ROADWAY COMPOSITION	28/FC-5	28/FC-5					
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED		$PC=22.072$ $PI=22.200$ $PT=22.328$ $\Delta=13^{\circ}41'00.00''$ $D=1'00'$				$PC=23.908$ $PI=24.174$ $PT=24.451$ $\Delta=28^{\circ}39'00.00''$ $D=1'00'$
STRUCTURE DESCRIPTION	B=N65°19'42"W						
DISTRICT USE							
SIS							
FUN CLASS	RURAL PRIN ART OTHER						
SPEED LIMIT	65MPH				55MPH		45MPH
AC MAN CLS	ACCESS CLASS03		ACCESS CLASS03		ACCESS CLASS03		ACCESS CLASS05

FLORIDA DEPARTMENT OF TRANSPORTATION
STRAIGHT LINE DIAGRAM OF ROAD INVENTORY



SECTION ENDS:
COLUMBIA CO LINE

COLUMBIA CO LINE

SANTA FE RIVER

END MP: 26.493
NET ROADWAY ID LENGTH: 24.089