

5 YR INV		SLD REV		BMP	EMP	INV	SLD REV	FLORIDA DEPARTMENT OF TRANSPORTATION STRAIGHT LINE DIAGRAM OF ROAD INVENTORY	SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.
DATE	10/09/2017	10/26/2017		019.069	021.824	08/08/2018 HSA DB/RM	08/23/2018 HSA DB		02	US 90	SR 10	HOLMES	03	52010000	1 OF 5
BY	SSMC	SSMC													
SECTION BEGINS WALTON CO LINE	0.0														
ROADWAY FEATURES	WALTON CO LINE														
LANE WIDTHS ARE AVERAGED	48.0' - 24.0' 2 - 12.0' RDWY 2 - 5.0' PVD SHLD1 2 - 7.0' LWN SHLD2														
ROADWAY COMPOSITION	28/FC-6														
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED PC=0.000 PI=0.152 PT=0.200 Δ=40°32'00.00" D=1°02' PC=0.605 PI=0.870 PT=1.112 Δ=40°12'00.00" D=1°30'00.00" Δ=77°06'00.00" D=2°45'00.00" PC=1.206 PI=1.509 PT=1.737 PC=2.024 PI=2.794 PT=2.349 Δ=33°36'00.00" D=1°30'00.00" Δ=43°52'00.00" D=2°30'00.00" PC=2.408 PI=2.626 PT=2.832														
STRUCTURE DESCRIPTION	0.081 1-30" X 80" CC 0.850 1-10" X 5" X 82" CBC 1.045 1-30" X 110" CC 1.566 1-24" X 76" CC 1.737 1-24" X 76" CC 2.242 1-24" X 110" CC 2.852 1-36" X 94" CC														
DISTRICT USE															
SIS															
FUN CLASS	RURAL MINOR ART														

SECTION BEGINS	3.0														
ROADWAY FEATURES	MORROW RD 3.821 HOLLY RD 3.821 BAKER MANNING RD 4.652 CR-10A 4.652 10 A WATER TOWER LN 5.589 ASSOCIATED STATION EXCEPTION SEE ROADWAY ID: 52501000 MP 6.641 TO MP 7.578														
LANE WIDTHS ARE AVERAGED	48.0' - 24.0' 2 - 12.0' RDWY 2 - 5.0' PVD SHLD1 2 - 7.0' LWN SHLD2														
ROADWAY COMPOSITION	28/FC-6														
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED Δ=27°40'00.00" D=1°30'00.00" PC=3.501 PI=3.679 PT=3.850 Δ=62°22'00.00" D=2°30'00.00" PC=4.032 PI=4.295 PT=4.504 Δ=61°26'00.00" D=1°10'00.00" PC=5.445 PI=5.998 PT=6.442														
STRUCTURE DESCRIPTION	3.234 1-24" X 81" CC 3.537 1-24" X 82" CC 4.245 1-8" X 4" X 110" CBC 4.589 1-24" X 101" CC 5.074 1-36" X 80" CC 5.242 1-36" X 84" CC 5.403 1-24" X 84" CC 5.638 1-24" X 74" CC 5.772 1-24" X 71" CC 5.965 1-24" X 70" CC														
DISTRICT USE															
SIS															
FUN CLASS	RURAL MINOR ART														

5 YR INV	SLD REV	BMP	EMP	INV	SLD REV	SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.
DATE: 10/09/2017	10/26/2017	019.069	021.824	08/08/2018 HSA DB/RM	08/23/2018 HSA DB	02	US 90	SR 10	HOLMES	03	52010000	2 OF 5
FLORIDA DEPARTMENT OF TRANSPORTATION STRAIGHT LINE DIAGRAM OF ROAD INVENTORY												
ROADWAY COMPOSITION: 28/FC-6 HORIZONTAL ALIGNMENT: CURVE DATA NOT FIELD VERIFIED STRUCTURE DESCRIPTION: #0009 464.6' BR, #0910 163.7' BR, 1-36" X 81" CC, #0098 158.4' BR, 1-30" X 74" CC, 1-24" X 68" CC, #0141 137.3' BR, 1-24" X 74" CC, #0142 184.8' BR												
DISTRICT USE: SIS FUN CLASS: RURAL MINOR ART												

ROADWAY COMPOSITION: 28/FC-6 HORIZONTAL ALIGNMENT: CURVE DATA NOT FIELD VERIFIED STRUCTURE DESCRIPTION: 1-24" X 80" CC, 1-24" X 71" CC, 1-36" X 82" CC, 1-24" X 90" CC, 1-5' X 5' X 96" CC												
DISTRICT USE: SIS FUN CLASS: RURAL MINOR ART												

5 YR INV		SLD REV		BMP	EMP	INV	SLD REV	SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.
DATE	10/09/2017	10/26/2017		019.069	021.824	08/08/2018 HSA DB/RM	08/23/2018 HSA DB	02	US 90	SR 10	HOLMES	03	52010000	3 OF 5
BY	SSMC	SSMC												

DATE	BY	DESCRIPTION
10/09/2017	SSMC	5 YR INV
10/26/2017	SSMC	SLD REV

SECTION	START STA	END STA	DESCRIPTION
1	12.000	12.804	INSIDE CITY, NOT URBAN WESTVILLE 1<-US-90 1<-SR 10 1<-US 90
2	12.804	13.105	BUCKHEAD SLOUGH
3	13.105	13.280	RELIEF
4	13.280	13.612	CHOCTAWHATCHEE RIVER
5	13.612	14.056	CHOCTAWHATCHEE RIVER
6	14.056	14.620	INSIDE CITY, NOT URBAN CARYVILLE 1<-US-90 1<-SR 10 1<-US 90

ROADWAY FEATURES	LANE WIDTHS ARE AVERAGED
ASSOCIATED STATION EXCEPTION SEE ROADWAY ID: 52501000 MP 11.501 TO MP 15.004 TO/FROM CR-181 12.592 CR-179A 12.720 CR-181 12.804 CR-179A 12.804 PERRY ST 12.870 PARK AND RIDE EXIT 12.902	50.0' - 24.0' 2 - 12.0' RDWY 2 - 5.0' PVD SHLD1 2 - 8.0' LWN SHLD2

ROADWAY COMPOSITION
28/FC-6

HORIZONTAL ALIGNMENT
CURVE DATA NOT FIELD VERIFIED Δ=29°10'00.00" D=2°30'00.00" PC=12.741 PI=12.860 PT=12.970 Δ=36°20'00.00" D=3°00'00.00" PC=13.387 PI=13.563 PT=13.732 Δ=27°20'00.00" D=1°30'00.00" PC=13.387 PI=13.563 PT=13.732 Δ=27°20'00.00" D=1°30'00.00" PC=13.720 PI=13.932 PT=14.068 Δ=30°29'00.00" D=1°30'00.00"

STRUCTURE DESCRIPTION
12.126 1 - 36" X 92" CC 12.523 1 - 24" X 92" CC 12.573 12.746 1 - 48" X 113" CC 12.974 1 - 9" X 6" X 92" CBC 13.176 #0146 601.9' BR 13.290 13.462 #0147 607.2' BR 13.577 14.030 #0149 3115.2' BR 14.620

DISTRICT USE
SIS

FUN CLASS
RURAL MINOR ART

ROADWAY FEATURES	LANE WIDTHS ARE AVERAGED
(MP 14.620 TO MP 19.069) STATIONING EXCEPTION SEE ROADWAY ID: 61010000 MP 0.564 TO MP 5.013	

ROADWAY COMPOSITION

HORIZONTAL ALIGNMENT

STRUCTURE DESCRIPTION

DISTRICT USE
SIS

FUN CLASS

5 YR INV		SLD REV		BMP	EMP	INV	SLD REV	FLORIDA DEPARTMENT OF TRANSPORTATION STRAIGHT LINE DIAGRAM OF ROAD INVENTORY	SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO.	
DATE	10/09/2017	10/26/2017		019.069	021.824	08/08/2018 HSA DB/RM	08/23/2018 HSA DB		02	US 90	SR 10	HOLMES	03	52010000	4 OF 5	
BY	SSMC	SSMC														
ROADWAY FEATURES	(MP 14.620 TO MP 19.069) STATIONING EXCEPTION SEE ROADWAY ID: 61010000 MP 0.564 TO MP 5.013								19.069 OUTSIDE CITY & URBAN 1- <= US-90 1- < SR 10 1- < US 90							
LANE WIDTHS ARE AVERAGED									19.069 MARSH RD 19.069							
ROADWAY COMPOSITION									19.069 28/FC-12.5							
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED															
STRUCTURE DESCRIPTION									<p>B=N77°15'46"E</p> <p>19.741 2-36' X 75' CC</p> <p>20.096 1-6' X 3' X 88' CBC</p> <p>20.373 #0065 21.1' CB</p> <p>20.377</p> <p>20.820 #0002 42.2' CB</p>							
DISTRICT USE																
SIS																
FUN CLASS	RURAL MINOR ART															

ROADWAY FEATURES	21.000 OUTSIDE CITY & URBAN 1- <= US-90 1- < SR 10 1- < US 90								22.0 INSIDE CITY, NOT URBAN 1- <= US-90 1- < SR 10 1- < US 90								23.0 OUTSIDE CITY & URBAN 1- <= US-90 1- < SR 10 1- < US 90							
LANE WIDTHS ARE AVERAGED	21.000 50.0' - 24.0' 2 - 12.0' RDWY 2 - 5.0' PVD SHLD1 2 - 8.0' LWN SHLD2								22.0 118.0' - 48.0' 4 - 12.0' RDWY 41.0 VEG MED 2 - 4.0' PVD SHLD1 10.0' LWN SHLD2 - LT 11.0' LWN SHLD2 - RT								23.0 89.0' - 48.0' 4 - 12.0' RDWY 12.0 PVD MED 2 - 4.0' PVD SHLD1 10.0' LWN SHLD2 - LT 11.0' LWN SHLD2 - RT							
ROADWAY COMPOSITION	21.000 28/FC-12.5								22.0 28/FC-6 28/FC-5								23.0 28/FC-6							
HORIZONTAL ALIGNMENT	CURVE DATA NOT FIELD VERIFIED								<p>Δ=8°03'00.00"</p> <p>D=1°00'00.00"</p> <p>PC=22.035</p> <p>PI=22.111</p> <p>PT=22.188</p>								<p>Δ=3°10'00.00"</p> <p>D=0°31'00.00"</p> <p>PC=22.720</p> <p>PI=22.778</p> <p>PT=22.836</p>							
STRUCTURE DESCRIPTION	<p>21.780 #0066 21.1' CB</p> <p>21.954 1-18" X 70' CC</p> <p>22.046 1-18" X 91' CC</p> <p>22.309 1-24" X 90' CC</p> <p>22.371 1-4' X 5' X 60' CBC - LT 1-5' X 4' X 70' CBC - RT</p> <p>22.696 1-18" X 62' CC</p> <p>22.807 1-4' X 3' X 117' CBC</p> <p>22.945 1-18" X 57' CC</p> <p>22.998 1-42" X 105' CC</p> <p>23.024 1-18" X 65' CC</p> <p>23.147 1-18" X 68' CC</p> <p>23.239 1-36" X 103' CC</p> <p>23.580 1-12' X 4' X 87' CBC</p> <p>23.790 1-4' X 3' X 64' CBC</p>																							
DISTRICT USE																								
SIS																								
FUN CLASS	RURAL MINOR ART																							

5 YR INV		SLD REV		BMP		EMP		INV		SLD REV		SECTION STATUS	INT. or US ROUTE NO.	STATE ROAD NO.	COUNTY	DISTRICT	ROADWAY ID	SHEET NO:							
DATE	10/09/2017		10/26/2017	019.069	021.824	08/08/2018	HSA DB/RM	08/23/2018	HSA DB	FLORIDA DEPARTMENT OF TRANSPORTATION STRAIGHT LINE DIAGRAM OF ROAD INVENTORY									02	US 90	SR 10	HOLMES	03	52010000	5 OF 5
BY	SSMC		SSMC																						
ROADWAY FEATURES	24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000						
LANE WIDTHS ARE AVERAGED	24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000						
ROADWAY COMPOSITION	24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000						
HORIZONTAL ALIGNMENT	24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000						
STRUCTURE DESCRIPTION	24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000						
DISTRICT USE	24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000						
SIS	24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000						
FUN CLASS	24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000		24.000						

ROADWAY FEATURES	27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000	
LANE WIDTHS ARE AVERAGED	27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000	
ROADWAY COMPOSITION	27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000	
HORIZONTAL ALIGNMENT	27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000	
STRUCTURE DESCRIPTION	27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000	
DISTRICT USE	27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000	
SIS	27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000	
FUN CLASS	27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000		27.000	